

ACRYLAC® SPECIAL

Our ACRYLAC® SPECIAL team is a select outfit of highly efficient specialists that enable you to master even special print jobs without any problem. They are leading players when it comes to maximum stackability, reduced curling, non-absorbent substrates, excellent rub resistance and exceptional heat resistance.

ANTIBLOCK

Excellent drying and stackability for critical applications, too (matt version available on request)

GLOSS*	
DRYING	
RUB RESISTANCE	
WET-BLOCKING RESISTANCE	
BLOCKING RESISTANCE	

FOIL

Optimum, crazing-free drying on foils and non-absorbent substrates (matt version available on request)

GLOSS*	
DRYING	
RUB RESISTANCE	
WET-BLOCKING RESISTANCE	
SUITABILITY FOR FOILS	

ANTICURL

Greatly reduced curling tendency with light-weight papers (matt and high-gloss versions for single-sided printing available on request)

GLOSS*	
DRYING	
RUB RESISTANCE	
WET-BLOCKING RESISTANCE	
ANTI-CURLING PROPERTY	

RUB EXTRA

For maximum rub resistance (matt version available on request)

GLOSS*	
DRYING	
RUB RESISTANCE	
MATT RUB RESISTANCE	
WET-BLOCKING RESISTANCE	

HEATRESIST

Excellent heat resistance, far beyond that offered by standard water-based coatings (matt version available on request)

GLOSS*	
DRYING	
RUB RESISTANCE	
WET-BLOCKING RESISTANCE	
HEAT RESISTANCE	

Gloss* = Does not apply to semi-matt/matt versions

ACRYLAC® SPECIAL

ACRYLAC® SPECIAL coatings are ideally suitable for film lamination, UV lacquering, particularly low-friction and particularly antislip surfaces. Our mother-of-pearl coatings guarantee sparkling results.

PRIMER

Optimum adhesion for post-finishing with UV varnish or film lamination. Also suitable for UV-spot varnishing. (matt version available on request)

GLOSS*	
DRYING	
RUB RESISTANCE	
WET-BLOCKING RESISTANCE	
SUITABILITY FOR FINISHING	

PRIMER UV-INLINE

Optimum gloss and top-level adhesion for the UV inline process (not suitable as a final coating, full-surface inline coating with UV lacquer necessary)

GLOSS*	
DRYING	
RUB RESISTANCE	
WET-BLOCKING RESISTANCE	
SUITABLE FOR INLINE UV LACQUERING	

ANTISLIP

Reduced surface smoothness with distinct anti-slip effect. (Semi-matt version available on request)

GLOSS*	
DRYING	
RUB RESISTANCE	
WET-BLOCKING RESISTANCE	
SURFACE SMOOTHNESS	

HIGH SLIP

High surface quality for intensive mechanical processes, such as edging and thermoforming

GLOSS*	
DRYING	
RUB RESISTANCE	
WET-BLOCKING RESISTANCE	
SURFACE SMOOTHNESS	

MOTHER OF PEARL

Wide range of special effects in all application areas. Suitable for single- and double-sided printing depending on variant. Other functionalities available on request.

GLOSS*	
DRYING	DEPENDS ON VARIANT
RUB RESISTANCE	
WET-BLOCKING RESISTANCE	DEPENDS ON VARIANT
PEARLESCENT EFFECT	

Gloss* = Does not apply to semi-matt/matt versions